



AIR DRILL SERIES



HAD-PT305

3/8" AIR REVERSIBLE DRILL

Freed Speed rpm	1800
Chuck Capacity mm	10
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	6.5
Weight Kg	1.1
Overall Length mm	203



HAD-PT306

3/8" AIR REVERSIBLE DRILL

Freed Speed rpm	2200
Chuck Capacity mm	10
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	6.5
Weight Kg	1
Overall Length mm	190





AIR DRILL SERIES

HAD-PT312

1/2" AIR REVERSIBLE DRILL

Free Speed rpm	2200
Chuck Capacity mm	10
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	6.5
Weight Kg	1
Overall Length mm	190



HAD-YB211

1/2" AIR DRILL

Free Speed rpm	800
Spindle thread	3/8" -24 T.P.I.
Air Inlet	1/2"
Air Pressure bar	6.2
Air Consumption (CFM)	4
Hose size (I.D.)	3/8"



HAD-YB202S

3/8" AIR KEYLESS CHUCK DRILL

Free Speed rpm	2600
Spindle thread	3/8" -24 T.P.I.
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	4
Hose size (I.D.)	3/8"



HAD-PT315

3/8" STRAIGHT AIR DRILL

Free Speed rpm	2500
Chuck Capacity mm	10
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	6
Weight Kg	1
Overall Length mm	230





AIR DRILL SERIES



HAD-3645C 1/2" AIR REVERSIBLE DRILL COMPOSITE HOUSING

Free Speed rpm	500
Chuck Capacity mm	13
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	5
Weight Kg	1.5
Overall Length mm	185



HAD-3625C 1/2" AIR REVERSIBLE DRILL COMPOSITE HOUSING

Free Speed rpm	220
Chuck Capacity mm	13
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	5
Weight Kg	1.5
Overall Length mm	185



HAD-3600C 3/8" AIR REVERSIBLE DRILL COMPOSITE HOUSING

Free Speed rpm	2000
Chuck Capacity mm	10
Air Inlet	1/4"
Air Pressure bar	6.2
Air Consumption (CFM)	5
Weight Kg	1
Overall Length mm	175





AIR DRILL SERIES



HAD-SM75
3/8" AIR REVERSIBLE DRILL-KEYLESS CHUCK

Free Speed rpm	2000
Spindle thread	3/8" -24 T.P.I.
Air Inlet	1/4"
Air Pressure bar	6.2
Length mm	188
Weight KG	1
Air Consumption (CFM)	4
Hose size (I.D.)	3/8"



HAD-SM74
1/2" AIR REVERSIBLE DRILL-KEYLESS CHUCK

Free Speed rpm	800
Spindle thread	3/8" -24 T.P.I.
Air Inlet	1/4"
Air Pressure bar	6.2
Length mm	213
Weight KG	1.3
Air Consumption (CFM)	4
Hose size (I.D.)	3/8"





AIR DRILL SERIES

HAD-SM71

3/8" AIR NO-REVERSIBLE DRILL

Free Speed rpm	2200
Spindle thread	3/8" -24 T.P.I.
Air Inlet	1/4"
Air Pressure bar	6.2
Length mm	189
Weight KG	1
Air Consumption (CFM)	4
Hose size (I.D.)	3/8"



HAD-SM73

1/2" AIR NO-REVERSIBLE DRILL

Free Speed rpm	500
Spindle thread	3/8" -24 T.P.I.
Air Inlet	1/4"
Air Pressure bar	6.2
Length mm	228
Weight KG	1.5
Air Consumption (CFM)	4
Hose size (I.D.)	3/8"



HAD-RDPN

HAD-RLDN

HAD-RPD

HAD-RDPN

SEMI-AUTOMATIC CUSHION TYPE AIR DRILL

Model No.	Free Speed	Dia.	Max Fastening Capacity (MM)	Max Torque (Nm)	Weight (KG)
HAD-R39DPN	1600	36	5	5	0.7
HAD-R48DPN	1700	43	6	7	1.05
HAD-R58DPN	750	43	7	13	1.05



AIR DRILL SERIES

HAD-RPD SEMIAUTOMATIC DIRECT TYPE AIR DRILL



Model No.	Free Speed	Chuck.	Air Consumption (m/min)	Max Torque (Nm)	Weight (KG)
HAD-R26PD	2900	1/4"	0.28	3.5	0.58
HAD-R39PD	1600	3/8"	0.28	5	0.58
HAD-R48PD	1700	3/8"	0.55	7	0.92
HAD-R58PD	750	3/8"	0.55	13	0.92
HAD-R62PD	750	1/2"	0.55	13	1.01

HAD-RLDN STRAIGHT SEMIAUTOMATIC CUSHION TYPE AIR DRILL



Model No.	Free Speed	Dia.	Max Fastening Capacity (MM)	Max Torque (Nm)	Weight (KG)
HAD-R48LDN	1700	43	6	7	1
HAD-R58LDN	750	43	7	13	1