




Hoya Star International Limited

An unique & innovative product – Twin Flex Ratchet Wrench



Twin Flex Ratchet Wrench, breaking the limited of the traditional flexible wrench, twin section of the Twin Flex Ratchet Wrench provides two 180-degree +180 degrees, equivalent to a 360-degree angle of the maximum facilities. It can be very effective operation on small facilities and in narrow space. The use of performance can play a ratchet wrench; you can easily achieve the purpose of the work.

ITEM No. : HY-CWF3SH

- Material: CR-V 6140
- Teeth: 72T
- Surface Finish: Mirror/ Matt/ Micro Satin



Hoya Star International Limited

Metric number	Metric specifications mm	Inch number	Inch specifications	Length mm	Thickness mm	Weight g	Material
HY-CWF3SH08	8	HY-CWF3SH00516	5/16	155	6.62	50.8	CR-V 6140
HY-CWF3SH09	9			167	7.32	58.6	CR-V 6140
HY-CWF3SH10	10	HY-CWF3SH00308	3/8	180	7.88	87	CR-V 6140
HY-CWF3SH11	11	HY-CWF3SH00716	7/16	185	8.27	96.4	CR-V 6140
HY-CWF3SH12	12			198	8.52	117.6	CR-V 6140
HY-CWF3SH13	13	HY-CWF3SH00102	1/2	200	9.14	130.2	CR-V 6140
HY-CWF3SH14	14	HY-CWF3SH00916	9/16	213	9.52	152.4	CR-V 6140
HY-CWF3SH15	15			220	10.17	168	CR-V 6140
HY-CWF3SH16	16	HY-CWF3SH00508	5/8	233	10.87	206.4	CR-V 6140
HY-CWF3SH17	17	HY-CWF3SH01116	11/16	250	11.12	236.8	CR-V 6140
HY-CWF3SH18	18			263	11.33	272.4	CR-V 6140
HY-CWF3SH19	19	HY-CWF3SH00304		273	12.56	318.6	CR-V 6140
HY-CWF3SH21	21	HY-CWF3SH01316	13/16	310	13.62		CR-V 6140
HY-CWF3SH22	22	HY-CWF3SH00708	7/8	310	13.62		CR-V 6140
HY-CWF3SH24	24	HY-CWF3SH01516	15/16	346	14.22		CR-V 6140

Packing Type



Single PC



5PCS PVC Pouch



12PCS Canvas Pouch



6PCS Handle Rack



12PCS Handle Rack



Hoya Star International Limited

6PT Reversible Ratchet Combination Wrench



Hex type reversible ratchet is two-way ratchet wrench, both in structure and performance are unique and innovative technology. This superior product design capabilities, gained the patent for inventions in Germany, the United States and other countries.

As ergonomic hand, by use of CR-V 6140 high rigidity materials, precision mechanical design, unique hexagonal ratchet wrench provide better torque.

ITEM No. : HY-CWRSHA

- Material: CR-V 6140
- Teeth: 72T
- Surface Finish: Mirror/ Matt/ Micro Satin

Website: www.hoya.twmail.net E-mail: contact@hoya.twmail.net



Hoya Star International Limited

Metric number	Metric specifications mm	Inch number	Inch specifications	Length mm	Thickness mm	Weight g	Material
HY-CWRSHA08	8	HY-CWRSHA00516	5/16	140	6.62	34.8	CR-V 6140
HY-CWRSHA09	9			150	7.32	43.2	CR-V 6140
HY-CWRSHA10	10	HY-CWRSHA00308	3/8	160	7.88	54.8	CR-V 6140
HY-CWRSHA11	11	HY-CWRSHA00716	7/16	165	8.27	61.8	CR-V 6140
HY-CWRSHA12	12			170	8.52	74.4	CR-V 6140
HY-CWRSHA13	13	HY-CWRSHA00102	1/2	178	9.14	83.8	CR-V 6140
HY-CWRSHA14	14	HY-CWRSHA00916	9/16	190	9.52	106.2	CR-V 6140
HY-CWRSHA15	15			200	10.17	125.6	CR-V 6140
HY-CWRSHA16	16	HY-CWRSHA00508	5/8	210	10.87	142.2	CR-V 6140
HY-CWRSHA17	17	HY-CWRSHA01116	11/16	225	11.12	172.6	CR-V 6140
HY-CWRSHA18	18			237	11.33	189	CR-V 6140
HY-CWRSHA19	19	HY-CWRSHA00304	3/4	247	12.56	232.8	CR-V 6140
HY-CWRSHA21	21	HY-CWRSHA01316	13/16	287	13.62	353	CR-V 6140
HY-CWRSHA22	22	HY-CWRSHA00708	7/8	287	13.62	353.2	CR-V 6140
HY-CWRSHA24	24	HY-CWRSHA01516	15/16	320	14.22	465.8	CR-V 6140
HY-CWRSHA27	27	HY-CWRSHA10116	1 1/16	363	15.47	611.2	CR-V 6140
HY-CWRSHA30	30	HY-CWRSHA10108	1 1/8	400	15.82	775	CR-V 6140
HY-CWRSHA32	32	HY-CWRSHA10104	1 1/4	404	16.91	792	CR-V 6140


Packing Type:




Single PC




5PCS PVC Pouch



12PCS Canvas Pouch



6PCS Handle Rack




12PCS Handle Rack



100 Tooth Ratchet Wrench

- 100 teeth ratcheting box end needs as little as 3.6° to move fasteners in tight areas.
- Chrome vanadium alloy steel for long lasting durability.
- Nickel chrome plated for long lasting protection.
- Meets ANSI, DIN Federal torque specifications.
- Worldwide patent.



ONE-WAY



SPEEDY




3.6°

Patented structure, precise design, processing without tolerance, to true present the 100 teeth 3.6 degrees of operation function.





Hoya Star International Limited



Website: www.hoya.twmail.net E-mail: contact@hoya.twmail.net